

# WELCOME TO THE HAPPY HIPS PROGRAM!





BELIEFS - Our world appears through the lenses of our beliefs. We filter all information, including physiological sensations such as pain through these beliefs and then create meaning which translates in the expression of our experience.

Write down 3 positive beliefs about your hip condition:

1.			
2.			
3.			

Write down 3 negative beliefs you have about your hip pain:

1.	-	-		
2.				
3.				

# GET LEVERAGE > CREATE HEALTHY RITUALS > MANAGE BELIEFS > LIVE A BETTER LIFE

It is our rituals which define us and therefore define our outcome.

- Consider this in the context of:
  - Time management
  - Morning routine
  - Habit shifting away from bad to good (consider what are some bad habits which perpetuate your hip pain that could be changed through conscious habit shifting)

#### OUR EXPECTATIONS OF YOU:

- 1. Commitment
- 2. Home exercises
- 3. Questions

-


- 4. Home work
- 5. Feedback



# LET'S GET THE ANATOMY OUT OF THE WAY!

# **Relevant Anatomy and Biomechanical Principles**


- The hip is a ball and socket joint whereby the head of the femur (main thigh bone) is surrounded by the acetabulum (lower socket area of the pelvis)
- The hip is made up of 4 bones / bone groups Femur, Pelvis, Sacrum and Lumbar spine
- Attached to these bones are various ligaments and muscles
- Around the hip is also some sacs of fluid, known as bursa's. These help reduce the friction between the bones and the muscles






# Tendons and Muscles of the hip:

- Tendons attach muscles to bones.
- Muscles provide support and stability to flex, extend, rotate, aduct (move hip out) and adduct (move hip in) the knee.
- Fascia is a strong sheath-like connective tissue that supports the muscles.
- The major muscle groups of the knee are the glutes, hip flexors, core and adductors. There are also other muscles like the tensor fascia latae (TFL) to the side of the hip, iliacus (inside the pelvis), rectus femoris (main quadricep muscle) and piriformis (under the glutes).







# Muscle Groups:

- Gluteals:
  - Made up 4 muscles, Glute Max, Glute Medius, Glute Minimus and Piriformis
  - Aid in extending the leg, externally rotating and stabilizing the hip.
  - Important muscles in standing, landing and running
- Hip Flexors:
  - Made up of 3 muscles, Psoas, Iliacus and Sartorius.
  - Aid in flexion and external rotation of the hip and preventing hyperextension
  - Important muscles in running
- Core:
  - Made up of 4 muscles, Transverse Abdominus, Rectus Abdominus, External oblique and Internal Oblique.
  - Aid in stabilisation of the torso so the legs can work more efficiently
  - Important muscles in stability and rotation
- Adductors:
  - Made up of 5 muscles, Gracilis, Adductor Magnus, Adductor Longus, Adductor Minimus and Pectinius.
  - Aid in bring the hip towards the midline
  - Important muscles for stability of the leg
- Tensor Fascia Latae
  - Outer hip muscle
  - Aids in abduction (taking leg away from the midline), flexion and internal rotation of the hip
  - Important muscle in stability


# Ligaments of the Hip:

- The knee is made up of 3 main ligaments
  - Iliofemoral Ligament
    - Main anterior ligament that attaches the head of the femur to the ilium (front of the pelvis)
    - Prevents hyperextension of the hip
  - Pubofemoral Ligament
    - Attaches pubis (bottom of the pelvis) to the ynderside of the




femur

- Prevents express abduction and extension of the hip
- Ischiofemoral Ligament
  - Attaches the head of the femur to the ischium (back of the pelvis)
  - Prevents excess extension of the hip



## The Labrum:

- The labrum is a specialised piece of cartilage that acts as a shock absorber and a suction seal between the femur and acetablum (hip socket). Important in distributing pressure as you run, jump and land.






# Bursae of the hip:

The bursae are sacs of fluid, which help to stop friction between two different structures, usually its between bone and tendon but can also between ligament and muscle, muscle and bone etc. If aggravated the bursa can become inflamed and swell, which can thereby put pressure onto itself or the surrounding structures. The bursa is also very sensitive therefore making it seem as though there may be more damage than there actually is

- Greater trochanteric (GT) Bursa
  - Located on the lateral side at the top of the femur
  - Aids in decreasing the friction between the TFL muscle and the femur
  - Under the main GT bursa are smaller bursae to help decrease friction between some of the smaller muscles and ligaments around the hip
- Iliopsoas Bursa
  - Located on the under side of head of the femur
  - Aids in decreasing friction between tendons that attach to the ilium and the bone itself





## Most common sources of knee pain

- Overuse
  - Hip pain can arise with overuse of particular muscles with particular exercises. An example is those who start doing a lot of sprint training, sprinting requires a lot of hip activation to drive the leg forward, if this is not a gradual build up then hip pain can arise
- Poor biomechanics
  - The way someone moves can drastically affect how their hip responds. If someone has poor technique in jumping and landing this can create an overuse of certain structures and thereby result in pain.
  - A classic example is hip pain in those who are doing a lot jumping and landing at the gym, and dont have the strength in the correct structures in order to keep their hip stable with landing exercises.
- Sex
  - Females are more like to experience different forms of hip pain due to wider hips. Wider hips mean greater pressure on the lateral structures of the hip and therefore possible pain.
- Inactivity
  - Hip pain can arise with a lot of sitting down. Extensive sitting shortens the structures at the front of the hip, it also decreases the activity of muscles that help stabilise the hip. Therefore making the short structures at the fron of the hip also unstable and resulting in hip pain

# **Common Hip Conditions**

- Femoral Acetabular Impingement (FAI)
  - Refers to pain iat the front of the hip. Occurs when the structures at the top and fron and front of the femur, as well as the front of the acetabulum have been affected and therefore come into contact earlier than they normally should. Often occurs due to high activity intermixed with extensive sitting.
- Greater Trochanteric Bursitis / Pain Syndrome (GTPS)
  - When the bursa at the side of the hip gets irritated and swells up with fluid. Usually occurs when there is direct contact to the area or



constant pressure on the hip. Can also be due to an infection

- GTPS common in middle-aged to elderly women due to decreased activity of stabilising structures.
- Pain usually with walking and lying on the affected side
- Labral irritation / tear
  - When the shock absorber between the two big bones of the femur and pelvis is irritated. Usually occurs when there has been too much pressure applied to the area and the labrum is finding it diccult to consistently distribute the pressure, occurs with running and gym overload. People usually describe pain as a deep dull
- Psoas strain / tendinopathy
  - Irritation and thickening of the tendon that runs over the front of the hip. Usually comes about with overuse/overload in different activities like running and weights. Will find that it'll be sore in the morning, as well as running and core exercises
- Sacroiliac Joint (SIJ) Dysfunction
  - The joint that connects the spine to the pelvis. It is made up of many ligaments and muscles that aid in effective load transfer from the hips down. Due to the many structures around the area, ligaments and muscles can be either over/underactive. In this case people will find it uncomfortable to put weight on one side through walking, lying or standing.

# Symptoms of more serious conditions

- Numbness or weakness would indicate a possible nerve involvement, which could be from the back or around the area of concern
- Numbness or weakness in the hip could also signify an issue with the artery that runs through the hip
- Instability is usually a sign of a lax ligament
- A lump above and inside the hip can indicate a hernia



# HOW DID I GET HERE???

### GENETICS

- Collagen makeup and its importance
  - Hyper-hypo-mobility (water or land body) group in to hyper/hypo
- Comorbid issues, e.g other joint pathology like FAI, OA, RA, bloodborne inflam, CNS, sympathetic compression
- Remember that there is a management strategy to aid all of the above and cannot be discounted in a treatment program. Is there a missing link to your recovery?

#### OTHER INFLUENCES


- Habits posture, biomechanics, funky habits (cross legs etc)
- Loading alignment and control
- Prevalence of loading
- Beliefs (influence behaviours and nervous system)
- Nervous system sensitivity
- Emotions

What are the top 3 things described above that you feel are contributing to your pain?

Sitting: How many hours do you sit for in a day? Breakfast Commute to work Morning work Lunch Afternoon work Commute home Dinner



Relaxing	
Total Daily Sitting Time	



Homosapiens have been evolving for 200,000 years and we have evolved to move! Sitting for more than 4 hours per work day (50% of your work day) and 6 hours in total will wreak havoc on your hip pain and overall health!



#### Pain science

Pain is an unpleasant experience. In fact, it's bloody horrible. But it is actually an incredibly important experience that keeps you safe, informs you about danger and helps you avoid harm. Without pain, you would all be doing crazy and damaging things to your bodies without realizing it. But your pain systems don't always work perfectly.

#### Pain and the brain

Once upon a time, scientists believed that pain was a message that was sent from our body to our brains, informing us that damage had occurred. What we have now discovered is that these early scientists had it the wrong way around.

It is now well understood that pain occurs *in* the brain. It may be hard to believe, but pain doesn't actually tell you about how much you have damaged your body; it tells you about how much *danger* your brain *believes* you are in. This may be potential danger or real danger.

#### Persistent pain

In a normal and healthy pain response, all of the elements that make up your pain experience will reverse and return to normal over time, in line with the healing of the injured tissue. But sometimes, things don't behave as they should, and pain persists. There is no simple answer for why this occurs and there are often a number of different factors, each unique to the individual case.

Regardless of the reasons, the fact of the matter is that your danger alert system has malfunctioned. Whilst in a normal scenario, the level of pain will diminish as the injury heals, with chronic pain the level of pain you experience remains the same or even worsens over time, **even if the injured area is healing normally.** 

# When pain becomes chronic, the pain you feel is no longer an accurate representation of danger or damage in your body.

Summary:

- Pain is an important protective mechanism
- The level of pain we experience is determined by how much danger our brain *believes* we are in
- It does not tell us about how much damage is in the tissue
- Chronic pain is rarely an accurate assessment of danger to the body
- All of the changes in the body associated with chronic pain are reversible



#### Stress & Mindfulness

Below is a list of some of the physical responses that occur during a stress response and the direct impact on pain.

Fight or Flight Response	Impact on your back pain	
Rapid & shallow breathing	Rapid and shallow breathing results in less oxygen delivery, which then causes the muscles to start tensing up in order to help with lung expansion in an effort to get more oxygen. This results in tight and painful muscles due to overactivity.	
Increased muscle tone	The sympathetic response causes muscle tension to assist with running or fighting, but prolonged muscle tone causes pain and impacts bony alignment.	
Reduced immunity	Blood and energy is directed to the muscles instead of the immune system (to assist with escaping immediate danger) and this reduced immune energy impacts healing abilities and injury recovery.	
Adrenal fatigue	Prolonged release of stress hormones (e.g. adrenaline) causes exhaustion and adrenal fatigue. This reduces tissue healing and also increases pain perception by impacting mood and emotional regulation.	
Poor digestion	Similar to the immune system, blood flow and energy is directed to the muscles instead of the digestive system (to assist with escaping immediate danger). This negatively impacts absorption of nutrients and vitamins that assist with injury recovery.	
Inflammation	Prolonged stress causes inflammation in the body, creating pain and poor tissue health. Inflammation occurs through poor gut health (due to digestive issues), cortisol and insulin resistance (hormonal issues) and altered immune system responses.	
Hypervigilance	The fight and flight response causes increased mental alertness (to detect danger), which makes us hyper-sensitive to pain.	



#### Questionnaire;

- How do you feel now compared to when you started the program?
- What have you learnt about your body?
- Do you know what makes you feel uncomfortable or what triggers pain?
- Do you have a strategy to make you feel better? Any particular exercise you have learnt so far?
- Is the pain still taking anything out of your life? Do you think you can change this?
- Has anything changed in your life since you started the program in regards to exercise routine, social life, interaction with friends and family?
- Do you feel like you are more in control of your body?



# **Chronic Pain and Recurrence**

- Chronic pain means pain for longer than 3 months, which means pain that persists after the tissue healing time frame central sensitization.
- Once the nervous system is sensitized the source of pain is most likely to be at the spinal cord and brain instead of tissue, but any increased load over the previously injured tissue will increase brain alert pain (recurrency).
- 66% of people with chronic pain will have recurrency.

The most important things to remember if you have a flare up;

- The pain is not necessarily from damaged tissues, but most likely from very a sensitized nervous system. Stay strong and avoid negative thoughts about your body and your life.
- Keep moving to restore muscle coordination and maintain the deep stabilisers working well.
- Think of the exercises we have done together and pick the ones that make you feel the best to use as a 'painkiller'.
- Keep moving and doing things you enjoy as much as possible
- At this point you should be able to identify what causes the flare ups and what normally loads your hip.

#### Exercise progression/regression

- The more you load the more resilient the body becomes
- Neutral spinal before movement
- Supported before non- supported
- Standing double before single legged
- Drivers and their specific loads
- Range
- Speed



# **History behind Pilates Method**

- Created by Joseph Pilates who was born in 1880 in Germany.
- The inspiration for his method came to him during World War One to help with military training, He developed his method for four years, working on his fellow internees.
- He suffered from asthma and rheumatic fever. He managed to overcome his physical limitations by developing his own program of exercise.
- It was initially named 'contrology'

## **Principles:**

- Breathing: Full consistent inhalation and exhalation helps the circulatory system nourish all tissues while carrying away impurities and metabolic waste.
- Axial elongation and core control.
- Spine articulation.
- Organization of head, neck and shoulders.
- Weight bearing and alignment of the extremities.
- Movement integration

# Main goals of Pilates for chronic hip pain:

- Better flow of communication between body brain and vice versa
- Increase tissue tolerance and resilience.
- Unload tissues and relieve pain.
- Maintain mobility.
- Increase variability use the same core activation in different positions without sensitizing the nervous system.
- Consolidate posture, movement, function EVERY REP NEEDS TO BE PRODUCTIVE (precision).



# SLEEP

Sleep: failing to get 8 hours of good quality sleep every night increases your pain sensitivity, creates inflammation in the body and makes it harder for an injury to heal.

Here are some tips for getting a good night sleep:

- 1. **Lighting**: You now understand the impact of artificial lighting on your circadian rhythm, so as the sun sets you should dim any bright lights, turn on soft lamps and light candles. Replace any white globes with warm, low intensity globes. This will tell your brain that night time is here and begin melatonin release at the right time, meaning you'll get off to sleep easier. You should also remove any artificial lights from your bedroom such as alarm clocks, and block outside lights with black-out curtains (if you don't have any external street lights then it can be nice to leave curtains open so sunlight enters in the morning).
- 2. **Reduce screen-time**: If you're really serious about optimising your sleep then you should ideally cut out all computer, smart-phone, tablet and television use at night in order to minimise blue light exposure. If that is unrealistic, apply "night-shift" filters to your devices to minimise blue light exposure. There are also great options for glasses that filter out blue light.
- 3. **Read a book before bed:** Reading is a very relaxing and therapeutic pre-sleep activity as it can distract your mind from focusing on the stresses in your own life. *How* you read is very important though. One study looked at the impact of 2-hours of reading on a tablet before bed, versus 2-hours of reading a paper book. The results were dramatically different: reading with a tablet instead of a paper book resulted in a 50% reduction in melatonin release, as well as a 3-hour delay in melatonin release and peak. It also took tablet users longer to fall asleep, they had reduced REM sleep, were more tired the next day, and they had an ongoing lag in rising melatonin levels for several days after tablet use ceased (digital hangover).
- 4. **Temperature**: The optimal room temperature for sleeping is 18 degrees celsius, so if you sleep with air-conditioning then set it to this. You need your core body temperature to cool by 1 degree to initiate sleep, so a helpful trick is to have a *hot* shower or bath just before bed. The body will create an internal cooling response



due to the hot water, drawing blood to the surface of your skin which cools the core body temperature. Having a hot shower or bath before bed makes you fall asleep faster and can give you 10-15% more nREM sleep.

- 5. **Go to bed and wake up at the same time daily**: Research has shown that this is one of the most important aspects of high-quality sleep. If life permits (e.g. work, kids, commitments), try and match your sleep times to your chronotype (i.e. morning lark, night owl, in-betweener). If you are a night owl, perhaps you can negotiate with your employer about starting and finishing work later, or have a discussion with your spouse about your preference for doing school pick-up rather than drop-off. If you are traveling, taking melatonin supplements as the sun is setting in your new location can assist with jetlag and resetting your circadian rhythm.
- 6. **Stress management**: Your own mind can be one of your biggest barriers to sleep. Before bed, write down a to-do list for the following day so that you can clear your head for the night. You should then spend 5-10-minutes doing a mindfulness activity like following your breath or doing a relaxing body scan.
- 7. **Exercise**: There are many benefits to your sleep from regular exercise, such as an increase in deep nREM sleep, improved sleep quality and duration, and reduced time to fall asleep. Sleep also has a big influence on exercise capacity, with poor strength and fitness outcomes after poor night sleep. Sleep and exercise feed each other, with regular exercise leading to better sleep, but good quality sleep also increasing your likelihood of regular exercise due to having more energy. One important tip: don't exercise right before bed as your core temperature will be too high. You should finish training 2-3 hours before bed.
- 8. **Caffeine**: The half-life of caffeine is 6 hours, meaning half of the drug quantity is still in your system 6-hours after you ingest it (and can take up to 12-hours to completely remove). Given this, you should limit caffeine to before midday, if at all. Try switching to herbal tea or soda water with fresh lemon as an alternative.
- 9. Alcohol: As you now know, alcohol prevents you from entering REM sleep. You should always aim to go to sleep with a blood alcohol concentration (BAC) of zero. It takes approximately 1-hour for your liver to process one standard drink, so if you are having a drink at night, ensure you give your body enough time to clear it from your system before hitting the hay. An even better solution is to swap your wine or beer for a non-alcoholic alternative, at least on the majority of nights.



10. **Diet**: Avoid going to bed too full or too hungry as this can impact sleep quality. A lower carbohydrate diet has been shown to result in better sleep, so reduce your carbohydrate and increase fiber intake at dinner. Getting up to urinate multiple times per night is a common cause of sleep disturbance, so reduce your liquid intake before bed. There are a number of natural herbal supplements that can assist in sleep quality, without the negative side-effects of sleeping pills.



# **FINAL NOTES**

Congratulations on committing to the program and playing full out. There has been so much information covered over the past 10 weeks. You now have all the resources to:

- Functionally improve your tissue strength making the injury site more robust
- Activate appropriate core and pelvic muscles to support your spine and hips
- Understand the biomechanical driving forces which contribute to your pain and pathology
- Understand pain knowing that pain does not equal tissue injury state
- Create a flow of exercises suited to your hip
- Understand pain relapse and how to work your way back to a functional hip

We have prepared some video resources of individual exercises, as well as flow sets which we think will help you to practice appropriate strategies and find your perfect path with optimal progressions so that you can continue to improve over the coming months.

Please remember that you need to listen to your body and work at a level that is appropriate for you at that time.

#### ADVANZ EXERCISE LIBRARY:

#### https://www.ahsmp.com/ahsmp-exercise-library/

Below is a list of our recommended exercises. Please feel free to look through all exercises for an overall great functioning body

- Core Table top series
- Jumps and hops
- Adductor holds
- Lower limb stretches
- Prone core series L1
- Prone core series L2
- Prone Kneeling series
- Reformer leg series
- Reformer legs in straps series L1&2
- Early phase mobility and muscle activation
- Runners lunges
- Side plank series
- Side lying glute series



- Standing balance series
- Standing glute series
- Step up series
- Supine core series
- Supine glute series

https://vimeo.com/428967553 (easy to moderate) https://vimeo.com/423045586/4d6befd5f8 (moderate) https://vimeo.com/419698057 (moderate to difficult) https://vimeo.com/416641700/90722b42f3 (moderate to difficult) https://vimeo.com/410956526/59ee63fb66 (moderate + meditation)